



GRESHAM



# DESIGN 2000

PRODUCT DATA SPECIFICATION

# DESIGN 2000 FULLY WELDED

## PRODUCT DATA SPECIFICATION

A cantilever desk range with a robust continuous welded under frame.

### Material

Top panel 25mm Thick Melamine faced chipboard. Tops are edged all around with 2mm thick impact resistant ABS.

Modesty panel 18mm Thick Melamine faced chipboard. Exposed edges are edged in 1mm thick impact resistant ABS.












Leg frames are manufactured from mild steel tube with a 1.5mm wall thickness.

Metalwork is coated in a durable epoxy powder coated finish.

Supplied with Plastic rectangular cable ports

### Considerations

- Offered in a range of sizes and foot prints see price guide.
- Optional aluminium framed screen available.
- Optional Steel cable trays available conforms to BS6396: 2011.
- Optional aluminium and plastic leg risers available.
- Flexible vertical plastic cable spine available.
- Can be used with a range of clamp on monitor arms and surface mounted electrical and data outlet modules.
- Delivered fully assembled please ensure suitable access is available.

Square edge	
Certification	 
Conformity	  
Environment	
Quality	
100% Recyclable	
Work Surface	
Guarantee	
Dimensions	For full details see our price guide



GRESHAM

# DESIGN 2000 DESKITS

## PRODUCT DATA SPECIFICATION

A value engineered stand alone cantilever or panel end desking product.

### Material

Top panel 25mm Thick Melamine faced chipboard. Tops are edged all around with 2mm thick impact resistant ABS.

Modesty panel 18mm Thick Melamine faced chipboard. Exposed edges are edged in 1mm thick impact resistant ABS.

Panel end option 25mm Thick Melamine faced chipboard. Tops are edged all around with 2mm thick impact resistant ABS.

Cantilever leg option frames are manufactured from mild steel tube with a 1.5mm wall thickness.


Metalwork is coated in a durable epoxy powder coated finish.

Supplied with Plastic rectangular cable ports.

### Considerations

- Offered in a range of sizes and foot prints see price guide.
- Optional aluminium framed screen available.
- Optional Steel cable trays available conforms to BS6396: 2011.
- Optional aluminium and plastic leg risers available on cantilever leg only.
- Flexible vertical plastic cable spine available.
- Can be used with a range of clamp on monitor arms and surface mounted electrical and data outlet modules.
- Supplied flat pack.


Square edge



Certification



Conformity



Environment



Quality



100% Recyclable



Work Surface



Guarantee



Dimensions

For full details see our price guide