



GRESHAM



D3K

PRODUCT DATA SPECIFICATION



GRESHAM

# D3K FULLY WELDED

## PRODUCT DATA SPECIFICATION

A styled cantilever desk range with a robust continuous welded under frame.

### Material

Top panel 25mm Thick Melamine faced chipboard. Tops are edged all around with 2mm thick impact resistant ABS.

Modesty panel 18mm Thick Melamine faced chipboard. Exposed edges are edged in 1mm thick impact resistant ABS.








Leg frames are manufactured from mild steel tube with a 1.5mm wall thickness.

Metalwork is coated in a durable epoxy powder coated finish.

Supplied with Plastic oval 3 part cable ports.

### Considerations

- Offered in a range of sizes and foot prints see price guide.
- Optional aluminium framed screen available.
- Optional Steel cable trays available conforms to BS6396: 2011.
- Optional aluminium and plastic leg risers available.
- Flexible vertical plastic cable spine available.
- Can be used with a range of through desk monitor arms.
- Delivered fully assembled please ensure suitable access is available.

Square edge	
Certification	 
Conformity	  
Environment	
Quality	
100% Recyclable	
Work Surface	
Guarantee	
Dimensions	For full details see our price guide



GRESHAM

# D3K DESKITS

## PRODUCT DATA SPECIFICATION

A styled stand alone cantilever desking product.

### Material

Top panel 25mm Thick Melamine faced chipboard. Tops are edged all around with 2mm thick impact resistant ABS.

Modesty panel 18mm Thick Melamine faced chipboard. Exposed edges are edged in 1mm thick impact resistant ABS.

Leg frames are manufactured from mild steel tube with a 1.5mm wall thickness.


Metalwork is coated in a durable epoxy powder coated finish.

Supplied with Plastic oval 3 part cable ports.

### Considerations

- Offered in a range of sizes and foot prints see price guide.
- Optional aluminium framed screen available.
- Optional Steel cable trays available conforms to BS6396: 2011.
- Optional aluminium and plastic leg risers available.
- Flexible vertical plastic cable spine available.
- Can be used with a range of through desk monitor arms.
- Supplied flat pack.


Square edge



Certification



Conformity



Environment



Quality



100% Recyclable



Work Surface



Guarantee



Dimensions

For full details see our price guide

# D3K HEIGHT ADJUSTABLE

## PRODUCT DATA SPECIFICATION

A stand alone height adjustable desk.

### Material

Top panel 25mm Thick Melamine faced chipboard. Tops are edged all around with 2mm thick impact resistant ABS.

Modesty panel 18mm Thick Melamine faced chipboard. Exposed edges are edged in 1mm thick impact resistant ABS.

Leg frames can be adjusted between 680mm and 930mm high and are adjusted by retractable hand crank which can be fitted either to the Left or right hand.


Metalwork is coated in a durable epoxy powder coated finish.

Supplied with Plastic 3 part bench style cable port.

### Considerations

- Offered in a range of sizes and foot prints see price guide.
- Optional aluminium framed screen available.
- Optional Steel cable trays available conforms to BS6396: 2011.
- Flexible vertical plastic cable spine available.
- Can be used with a range of through desk monitor arms.
- Delivered fully assembled please ensure suitable access is available.

Square edge



Certification



Conformity



Environment



Quality



100% Recyclable



Work Surface



Guarantee



### Dimensions

For full details see our price guide



Height adjustment