





MIRAGE PODS PRODUCT DATA SPECIFICATION

MIRAGE PODS

WALL DIMENSIONS

All Mirage Pods are made-up of modular tiers that can be specified to provide users with dampened acoustics as well as visual privacy. Though overall heights may vary, the base tier is dimensioned to suit optimum worksurface height. Tiers can be specified in matching or complementary fabric finishes to those adjacent.





MIRAGE PODS

PRODUCT WEIGHTS

All weights stated below are in kilograms and are gross, including packaging. worksurfaces (where applicable) and all fittings. Columns: A, B, C, etc. refer to product heights based on numbers of tiers – see 'Wall Dimensions' section.

ABCDEFG

GOBI

Code	Description
MP20R-12	Single User Right Hand
MP20L-12	Single User Left Hand
MP21R-18	Single User Right Hand
MP21L-18	Single User Left Hand
MP23-17	Single User Semi Circular

| Weight |
|--------|--------|--------|--------|--------|--------|--------|
| 59.5 | 71.5 | - | 90.3 | - | - | - |
| 59.5 | 71.5 | - | 90.3 | - | - | - |
| 102.5 | 121.5 | - | 150.0 | - | - | - |
| 102.5 | 121.5 | - | 150.0 | - | - | - |
| 66.1 | 74.4 | - | 94.4 | - | - | - |

SONORAN

Code	Description
MP1-10	Small Single User
MP1-14	Large Single User
MP3-10	Small 2 User
MP3-14	Large 2 User
MP5-10	Small 3 User
MP5-14	Large 3 User
MP6-10	Small 6 Facing User
MP6-14	Large 6 Facing User
MP2-10	Small 2 Facing User
MP2-14	Large 2 Facing User
MP4-10	Small 4 Facing User
MP4-14	Large 4 Facing User
MP14-29	2 User Divder Wall

| Weight |
|--------|--------|--------|--------|--------|--------|--------|
| 67.3 | 81.1 | - | 102.0 | 89.2 | - | - |
| 80.8 | 96.5 | - | 120.2 | 105.6 | - | - |
| 114.3 | 136.9 | - | 171.0 | 150.2 | - | - |
| 141.2 | 167.7 | - | 207.5 | 182.9 | - | - |
| 161.3 | 192.7 | - | 240.1 | 211.2 | - | - |
| 201.8 | 238.9 | - | 294.8 | 260.2 | - | - |
| 277.5 | 329.1 | - | 406.9 | 359.2 | - | - |
| 355.6 | 393.0 | - | 479.4 | 426.1 | - | - |
| 119.5 | 143.5 | - | 178.6 | 157.4 | - | - |
| 138.9 | 164.8 | - | 203.7 | 179.7 | - | - |
| 198.5 | 236.3 | - | 293.2 | 258.4 | - | - |
| 237.3 | 278.9 | - | 341.5 | 302.9 | - | - |
| - | 196.5 | 213.3 | 246.2 | - | - | - |

ATACAMA

Code	Description
MP7L-12	2 User Left Hand
MP7R-12	2 User Right Hand
MP7L-23	4 User Right Hand
MP7R-23	4 User Right Hand
MP7L-32	6 User Right Hand
MP7R-32	6 User Right Hand

| Weight |
|--------|--------|--------|--------|--------|--------|--------|
| 72.6 | 84.1 | - | 101.5 | - | - | - |
| 72.6 | 84.1 | - | 101.5 | - | - | - |
| 131.6 | 151.4 | - | 181.1 | - | - | - |
| 131.6 | 151.4 | - | 181.1 | - | - | - |
| 190.6 | 218.6 | - | 260.6 | - | - | - |
| 190.6 | 218.6 | - | 260.6 | - | - | - |

SAHARA

Code	Description
MP11-25	Single Entry Square
MP10-30	Single Entry Soft Square
MP12-50	Twin Entry Rectangular

| Weight |
|--------|--------|--------|--------|--------|--------|--------|
| - | - | 211.0 | 249.2 | - | 315.5 | - |
| - | - | 247.4 | 292.2 | - | 369.9 | - |
| - | - | 364.0 | 430.0 | - | 478.5 | - |
| | | | | | | |

COLORADO

Code	Description
MP28-30	Semi Circular
MP25-30	Twin Entry Circular
MP26-30	Single Entry Circular

| Weight |
|--------|--------|--------|--------|--------|--------|--------|
| - | 103.0 | 113.5 | 134.0 | - | - | - |
| - | - | 170.3 | 201.1 | - | 254.6 | - |
| - | - | 190.9 | 234.6 | - | 261.1 | - |
| | | | | | | |

KARAKUM

Code	Description
MP17-13	4 User Angled Roof
MP17-18	6 User Angled Roof

| Weight |
|--------|--------|--------|--------|--------|--------|--------|
| - | - | - | - | - | - | 222.5 |
| - | - | - | - | - | - | 261.7 |



MIRAGE PODS

PRODUCT DATA SPECIFICATION

Mirage Pods are a range of work booths available in a selection of footprints, sizes, layers and finishes that can be tailored to your exact requirements to create acoustically dampened hubs that offer privacy for users.

Materials

The 55mm walls are fabricated from Medium Density Fibre Board ribs and sheet material which is laminated together using water-based adhesives. These are then upholstered with foam-backed fabric to provide a softer feel and to enhance their sound-deadening properties.

Each layer / tier is located on to the one below using solid timber dowels.

Each base layer is fitted with Polypropylene glides that are located in prefitted, screw-in alloy inserts that accommodate uneven floors.

All worksurfaces are supplied in 25mm thick MFC panels finished in high impact resistant ABS edging. Both worksurfaces and edging are offered in a selection of woodgrain or uni- colours. Edging can be specified to match or contrast with the worksurfaces.

Worksurfaces are secured to the vertical panels utilising pressed steel brackets that are epoxy powder coated for durability.

Considerations

- Selection of upholstery fabrics and colours available
- Panels can be specified in matching or contrasting fabrics
- Trim inlays can be specified in matching or contrasting fabrics.
- Available in a selection of footprints, widths, depths & heights
- Optional accessories including integrated service modules and lighting, add-on stationery trays, etc.

Environment



Certification







Quality



100% Recyclable



Fabric Choice



Guarantee



30db Noise Reduction



Conformity

