



GRESHAM



MULTI-PURPOSE TABLES

PRODUCT DATA SPECIFICATION



GRESHAM

BCT & CTC TABLES

MOBILE & STATIC

PRODUCT DATA SPECIFICATION

A range of simple multi purpose tables combining a durability with simple aesthetic.

Material

Top panel 25mm Thick Melamine faced chipboard. Tops are edged all around with 2mm thick impact resistant ABS.


Metal continuous welded frame manufactured from either 35mm diameter or 40mm square legs and tubular under frame. All steel profiles have a minimum wall thickness of 1.5mm.

Metalwork is coated in a durable epoxy powder coated finish.

Considerations

- Offered in a range of sizes and foot prints see price guide.
- Non stacking.
- Mobile or static options.
- Supplied with levellers for uneven floors.
- Delivered fully assembled please ensure suitable access is available.

Square edge



Certification



Environment



Quality



100% Recyclable



Work Surface



Maximum Load
Evenly Spread



Guarantee



Dimensions

For full details see our price guide

Leg styles

Static



Ø35mm

Circular Leg



40mm

Square Leg

Mobile



Ø35mm

Circular Leg



40mm

Square Leg



GRESHAM

STC TABLES

PRODUCT DATA SPECIFICATION

A value engineered range of simple multi purpose tables combining a durability with simple aesthetic.

Material

Top panel 25mm Thick Melamine faced chipboard. Tops are edged all around with 2mm thick impact resistant ABS.

Metal continuous welded 25mm square legs and cross rails. All steel profiles have a minimum wall thickness of 1.5mm.


Metalwork is coated in a durable epoxy powder coated finish.

Considerations

- Offered in a range of sizes and foot prints see price guide.
- Will spiral stack (maximum 5 tables).
- Supplied with levellers for uneven floors.
- Matching low height reception tables available.
- Delivered fully assembled please ensure suitable access is available.



Square edge



Certification



Environment



Quality



100% Recyclable



Work Surface



Maximum Load
Evenly Spread




Guarantee



Dimensions

For full details see our price guide

Leg style



25mm Square Leg