



GRESHAM



RECEPTION TABLES

PRODUCT DATA SPECIFICATION

NEOS HEIGHT ADJUSTABLE TABLES

PRODUCT DATA SPECIFICATION

A small format tables circular height adjustable table.



Material

Top panel 25mm Thick Melamine faced chipboard. Tops are edged all around with 2mm thick impact resistant ABS.

Steel spun trumpet base with a chromed gas operated height adjustment mechanism.

Considerations

- Height adjustment 405mm to 535mm
- Delivered fully assembled

Square edge	
Certified	
Environment	
Quality	
100% Recyclable	
Work Surface	
Maximum Load Evenly Spread	
Guarantee	
Dimensions	For full details see our price guide

GALLEN RECEPTION TABLES

PRODUCT DATA SPECIFICATION

A small range of wooden legged reception table.



Material

Work surfaces options

- 25mm Thick M.F.C. square edged tops edged all around with 2mm thick impact resistant ABS.
- 36mm Thick M.F.C. square edged tops edged all around with 2mm thick impact resistant ABS.
- 25mm Thick laminated M.D.F. square edged tops edged all around with 2mm thick impact resistant ABS.
- 25mm Thick laminated Moisture resistant M.D.F. chamfered edged tops edged all around with 2mm thick impact resistant ABS.
- 25mm Thick Veneered M.D.F. square edged tops edged all around with 2mm real wood edge tape.

Legs are 60mm diameter beech hardwood.

Considerations

- Offered in a large range of sizes and foot prints see price guide.
- Supplied fully assembled.

M.F.C = Melamine faced chipboard

M.D.F. = Medium density fibre board


Square edge 


Chamfered edge 


Conforms to 

Environment 

Quality 

100% Recyclable 

Work Surface 

Maximum Load
Evenly Spread 

Guarantee 

Dimensions
For full details see our price guide

ALVIER RECEPTION TABLES

PRODUCT DATA SPECIFICATION

980mm wide x 680mm deep x 275mm high reception table. Available with either a solid hardwood or sled leg frame



Material

Work surfaces options

- 25mm Thick M.F.C. square edged tops edged all around with 2mm thick impact resistant ABS.
- 36mm Thick M.F.C. square edged tops edged all around with 2mm thick impact resistant ABS.
- 25mm Thick laminated M.D.F. square edged tops edged all around with 2mm thick impact resistant ABS.
- 25mm Thick laminated Moisture resistant M.D.F. chamfered edged tops edged all around with 2mm thick impact resistant ABS.
- 25mm Thick Veneered M.D.F. square edged tops edged all around with 2mm real wood edge tape.

Wood underframe option. Solid hardwood frame.
Sled underframe 6mm thick steel.

Considerations

- Sled base available in painted or chrome finish
- Supplied fully assembled.

M.F.C = Melamine faced chipboard
M.D.F. = Medium density fibre board

Square edge	
Chamfered edge	
Conforms to	
Environment	
Quality	
100% Recyclable	
Work Surface	
Maximum Load Evenly Spread	
Guarantee	
Dimensions	980mm wide x 680mm deep x 275mm high

ADORE RECEPTION TABLES

PRODUCT DATA SPECIFICATION

600mm square x 275mm
high reception table.



Material

Work surfaces options

- 25mm Thick M.F.C. square edged tops edged all around with 2mm thick impact resistant ABS.
- 36mm Thick M.F.C. square edged tops edged all around with 2mm thick impact resistant ABS.
- 25mm Thick laminated M.D.F. square edged tops edged all around with 2mm thick impact resistant ABS.
- 25mm Thick laminated Moisture resistant M.D.F. chamfered edged tops edged all around with 2mm thick impact resistant ABS.
- 25mm Thick Veneered M.D.F. square edged tops edged all around with 2mm real wood edge tape.

12mm steel rod underframe.

Considerations

- Under frame available in painted or chrome finish.
- Supplied fully assembled.

M.F.C = Melamine faced chipboard
M.D.F. = Medium density fibre board

Square edge	
Chamfered edge	
Conforms to	
Environment	
Quality	
100% Recyclable	
Work Surface	
Maximum Load Evenly Spread	
Guarantee	
Dimensions	980mm wide x 680mm deep x 275mm high